

The Paddocks Luxury RV Resort Finish List

Amenity Buildings

Material	Vendor	Color
Siding	Hardie Panel	Arctic White
Batten Boards	Hardie Trim Batten Boards	Arctic White
Exterior Trim	Sherwin Williams	Warm Stone
Stone Veneer	Authintic Brick	Cordoba
Roofing	Tamco 5V Metal	Med Bronze
Windows - Various	Pella	Black Casing
Doors - Various	Masonite - Belleville Smooth Fiberglass	Warm Stone
Pool Pavers	Tremron - Shellstone	White
Pool Gate	Ameristar - Echelon Plus 3- Rail Pool Gate	Black
Pool Rail	Ameristar - Echelon Plus 3- Rail Pool Panel	Black



Your home is a blank canvas. Experiment with a variety of Hardie® Panel siding styles, textures, and stunning colors featuring our ColorPlus® Technology finishes to create your masterpiece.

Select your siding texture



Select Cedarmill®



Smooth



Studio



Sierra 8

Select your color collection

Statement
Collection®

Magnolia Home | James
Hardie Collection

Primed for
Paint

① Did not find the color you're looking for? [Click here](#).

SAVE 

SW 7032

Warm Stone

FULL DETAILS 

LRW: 21 

Available in Interior Paints

RGB: 136 / 123 / 108

Color Collection: Southwest Scheme 3,
Colorbox Forecast 2023 (swirling)


Hex Value: #887F6C

Color Family: #2: Neutral

Location Number: 243-C3

This deep gray imparts a warm hearth-and-home vibe perfect for your living room or kitchen. Pair with another warm neutral like Agreeable Gray to great effect.


Get this color in a





authintic
brick

by MERIDIAN™ BRICK



866.259.6263
authinticbrick.com

Real **Brick**.
Real **Thin**.
Right **There**.

CORDOBA

stocking size: Queen (.625 x 2.75 x 7.625)

5V METAL ROOFING PANELS



5V Smooth



5V Striated



5V Ribbed

Galvanized

24 gauge & 26 gauge – G90 Galvanized

Coating Weight**Galvalume**

24 gauge, 26 gauge & 29 gauge – AZ 55

Coating**Painted**

26 gauge and 24 gauge



Fifteen Stock Colors**Six Premium Colors**

See Color Charts below

Custom Colors Available – Minimum

quantities required

Also Available in 24 gauge Kynar Copper

Penny**Custom Lengths****Complete Accessory Package****Drawing**

15 Standard Colors, Galvanized/Galvelume, 6 Premium Colors and Custom Colors Too!

STANDARD COLORS	PREMIUM COLORS	CRINKLE COAT COLLECTION COLORS
Thompson White	Bone White	Grey
Grizzle Gray	Clay *	Almond *
Beige	Wicker *	Light Stone
Med Bronze *	Marine Green	Forest Green
Country Red	Brown	Musket Brown *
Galvalume/Galvanized	Burnished Slate	Black *

• All our standard colors meet energy star requirements.
 • Cool-Coat Chemistry Colors available in Standard and most Custom Colors.
 • Colors are an approximation. Actual production colors may vary slightly from the samples on this website. To get a truer color please contact us for our printed Color Chart.
 • Color Matching Caulk available in most colors.
 • Custom Colors available on TM-Lok and 5V upon request. Minimum quantities required.
 • Thompson White also meets Florida Power and Light requirements.
 • *Non-Metal Roofing Color.

[LEARN MORE AT energystar.gov](#)

Need Help? Call Us at 800.248.3456

Or complete our response form to receive more information on our products and specifications.

[GET MORE INFO](#)

TAMCO IS YOUR ONE-STOP FOR METAL, ALUMINUM & VINYL ROOFING PRODUCTS

**METAL ROOFING PRODUCTS**
 Metal Roofing Panel
 Tile Eave Closures & Components
 Gravel Stops
 Angle Flashing
 Eave Drip
 Gooseneck Vents
 Off-Ridge Vents
**ALUMINUM ROOFING PRODUCTS**
 Aluminum Gutters & Downspouts
 Downspout Accessories
 Aluminum Soffit
**VINYL PRODUCTS**
 Vinyl Gable Vents
 Vinyl Shutters
 Vinyl Siding Accessories
**CUSTOM BRAKE WORK**
 Wall Flashing
 Drip Edge
 Valley Flashing

Pella® 250 Series VINYL



Innovative and enhanced security and privacy features for your customers peace of mind.

Double-Hung



ENHANCED SECURITY AND PRIVACY

Give your customers more peace of mind with innovative security and privacy features. Double- and single-hung windows are designed with an interlocking checkrail, steel hardware reinforcement and a unique anti-jar sill. Sliding patio doors feature an integrated footbolt, tamper prevention system and blinds-between-the-glass.

STRONGER FRAMES THAN ORDINARY VINYL

Pella's precision welding process creates more durable products that resist warping or twisting over time. Pella 250 Series window frames are 52% stronger than ordinary vinyl.¹

PELLA'S FADE-RESISTANT VINYL FORMULA

Pella 250 Series is made of high-grade vinyl that resists yellowing and never needs painting. The solid color throughout the vinyl keeps minor dings and scratches virtually invisible. Solid-color frames are available in White, Almond and Fossil.

EXCLUSIVE WEATHER PROTECTION SYSTEM

Protect your home with our exclusive weather repel system on single- and double-hung windows. It has three points of protection to channel water away from the home — including triple weatherstripping.

ENERGY STAR® MOST EFFICIENT 2022 WINDOW²

Upgraded triple-pane glass windows are on average 62% more energy efficient than single-pane windows.³ Pella 250 Series offers products that have been awarded the ENERGY STAR Most Efficient Mark in 2022.²

DURABLE LAMINATE EXTERIOR FINISHES

Dual-color frame options offer White interiors with Brown or Black laminate exterior. Pella's vinyl laminate is 2.6x more durable than painted vinyl.⁴

FREE-FORM MULLING CAPABILITIES

Create a large or unique combination for your project by mulling standard and custom-sized windows together. Combinations are factory-mulled and arrive ready for installation.⁵

OPTIONAL PERFORMANCE ENHANCEMENTS

Increase energy performance and structural strength with optional performance enhancements such as foam insulation and steel reinforcement.

ADDITIONAL FEATURES AND OPTIONS

We have the features and options that fit most any project. Choose from multiple frame types, dual- and triple-pane glazing, several grille options and a full lineup of window & patio door styles.

LIMITED LIFETIME WARRANTY

Pella products are backed by some of the strongest warranties in the business. See written limited warranty for details, including exceptions and limitations, at pella.com/warranty.

TESTING BEYOND REQUIREMENTS

At Pella, our products are tested beyond requirements to help ensure they have long-lasting performance and reduce call-backs for you.

AVAILABLE IN THESE WINDOW & PATIO DOOR STYLES:



Special shapes also available.

^{1,2,3,4,5} See back cover for disclosures.

PRODUCT SPECIFICATIONS

WINDOW & PATIO DOOR STYLES	MIN. WIDTH	MIN. HEIGHT	MAX. WIDTH	MAX. HEIGHT	PERFORMANCE CLASS & GRADE	PERFORMANCE VALUES			FRAME / INSTALL
						U-FACTOR	SHGC	STC	
AWNING DUAL-PANE VENT	16"	14-1/2"	59-1/2"	43-1/2"	LC35-LC50	0.26-0.30	0.17-0.43	30	Block Frame Integral Fin Fin with J-Channel Flush Flange ⁸ 5/8" Flange Frame
AWNING TRIPLE-PANE VENT	16"	14-1/2"	59-1/2"	43-1/2"	LC35-LC50	0.20-0.25	0.19-0.37	34	
CASEMENT DUAL-PANE VENT	14-1/2"	17-1/2"	35-1/2"	71-1/2"	LC35-LC50	0.26-0.30	0.17-0.43	30-33	
CASEMENT TRIPLE-PANE VENT	14-1/2"	17-1/2"	35-1/2"	71-1/2"	LC35-LC50	0.20-0.25	0.19-0.37	34	
SLIDING WINDOW DUAL-PANE VENT	21-1/2"	11-1/2"	96"	72" West Region 62" East Region	R25-R50	0.27-0.32	0.20-0.51	25	
SLIDING WINDOW TRIPLE-PANE VENT	21-1/2"	11-1/2"	96"	72" West Region 62" East Region	R25-R50	0.20-0.26	0.22-0.44	28	
DOUBLE-HUNG DUAL-PANE VENT	14-1/2"	23-1/2"	53-1/2"	78" West Region 86" ⁶ East Region	R25-R50 West Region Only	0.27-0.33	0.19-0.49	26	
DOUBLE-HUNG TRIPLE-PANE VENT	14-1/2"	23-1/2"	53-1/2"	78"	R25-R50	0.21-0.27	0.21-0.42	28	
SINGLE-HUNG DUAL-PANE VENT	14-1/2"	23-1/2"	53-1/2"	77.5" ⁷ West Region 96" East Region	R35-R50 West Region Only	0.27-0.33	0.20-0.51	25	
SINGLE-HUNG TRIPLE-PANE VENT	14-1/2"	23-1/2"	53-1/2"	77-1/2"	R35-R50	0.21-0.26	0.22-0.44	28	
FIXED FRAME RECTANGLE DUAL-PANE	11-1/2"	11-1/2"	108" 40 sq. ft. max.	108" 40 sq. ft. max.	CW30-CW50	0.26-0.31	0.21-0.58	26	
FIXED FRAME RECTANGLE TRIPLE-PANE	11-1/2"	11-1/2"	96" 40 sq. ft. max.	96" 27 sq. ft. max.	CW30-CW50	0.19-0.24	0.24-0.47	27	
SLIDING PATIO DOOR DUAL-PANE, OX or XO ⁹	46-1/2"	70-1/2"	95-1/2"	95-1/2"	LC35 - LC50	0.27-0.40	0.19-0.49	26	
SLIDING PATIO DOOR TRIPLE-PANE, OX or XO ⁹	46-1/2"	70-1/2"	95-1/2"	95-1/2"	LC35 - LC50	0.22-0.30	0.21-0.42	27	

WINDOW SIZES AVAILABLE IN 1/8" INCREMENTS

Special sizes available. For more information regarding performance, visit installpella.com. Visit PellaADM.com for specific sizes and glazings tested and for more information regarding frame and installation types.

GLASS & ADDITIONAL ENERGY EFFICIENCY UPGRADES

INSULSHIELD® LOW-E GLASS



ADDITIONAL GLASS OPTIONS



FOAM INSULATION OPTIONS

Optional foam-insulated frame and sash are available to increase energy efficiency.

COLORS

FRAME COLORS

Create a signature look with solid-color and dual-color frames. Dual-color frames allow you to choose a different color for the exterior with a White interior.

SOLID-COLOR:




DUAL-COLOR FRAMES¹⁰:




GRILLES

GRILLES

Grilles are color-matched to your window or patio door interior and exterior frame color.



GRILLES-BETWEEN-THE-GLASS FLAT 5/8"¹¹



GRILLES-BETWEEN-THE-GLASS CONTOUR 3/4"¹¹

WINDOW HARDWARE

CASEMENT & AWNING

Folds neatly out of the way so it won't interfere with roomside window treatments. Finishes match interior frame colors.



FOLD-AWAY CRANK



COLOR-MATCHED FINISHES:

WHITE ALMOND FOSSIL

SLIDING, SINGLE- & DOUBLE-HUNG

Pella's cam-action locks pull the sashes against the weatherstripping for a tighter seal. Optional AutoLock hardware automatically locks the window when it is shut, simply close the sash and confirm it latches.



CAM-ACTION LOCK



AUTOLOCK



COLOR-MATCHED FINISHES:

WHITE ALMOND FOSSIL

WINDOW LIMITED OPENING DEVICES

A vent stop can be engaged or disengaged manually and restricts how far the bottom sash of a single- or double-hung window can open. A window opening control device (WOCD) complies with a safety standard and allows for ventilation, emergency escape and rescue when released. A WOCD automatically limits the sash opening to less than four inches, unless it is intentionally disengaged, enabling the sash to fully open. Stainless steel limited opening devices are available on casement and awning windows, and WOCDs are available on casement windows.



VENT STOP



WINDOW OPENING CONTROL DEVICE



COLOR-MATCHED FINISHES:

WHITE ALMOND FOSSIL

PATIO DOOR HARDWARE

SLIDING PATIO DOOR

Match the door's exterior color with a color-matched, corrosion-resistant handle, or upgrade the interior finish to add a touch of style.



SLIDING PATIO DOOR HANDLE
Standard Multipoint Locking System

COLOR-MATCHED FINISHES:

WHITE

ALMOND

FOSSIL

ADDITIONAL FINISHES:

OIL-RUBBED BRONZE

SATIN NICKEL

INTEGRATED FLUSH FOOTBOLT

Pella® 250 Series sliding patio door with footbolt is our most secure vinyl patio door.¹² The patent-pending footbolt is flush with the frame, providing secondary venting and locking abilities without compromising beauty.



INTEGRATED FLUSH FOOTBOLT

COLOR-MATCHED FINISHES:

WHITE

ALMOND

FOSSIL

PATIO DOOR BLINDS-BETWEEN-THE-GLASS^{13,14}

BLINDS-BETWEEN-THE-GLASS

Add privacy and complement your project's decor with blinds-between-the-glass. Located between panes of insulating glass, these blinds are protected from dust, damage and little hands.



WHITE



SLATE GRAY



ESPRESSO

¹ Based on the force required to bend a window frame profile.

² Some Pella products may not meet ENERGY STAR® guidelines in Canada. For more information, contact your local Pella sales representative or go to energystar.gc.ca.

³ Window energy efficiency calculated in a computer simulation using RESFEN 5.0 default parameters for a 2000 sq. foot existing single-story home when comparing a Pella 250 Series vinyl window with InsulShield Advanced Low-E triple pane glass with argon to a single pane wood or vinyl window. The range of energy efficiency will vary from 54% to 77% and will vary by location. Your actual savings will vary. The average window energy efficiency is based on a national average of 94 modeled cities across the country with an adjustment based on population. For more details see pella.com/methodology.

⁴ The abrasion resistance of Pella painted and laminate vinyl samples were tested and coatings compared in their ability to withstand a volume of abrasive materials using test method of ASTM D968.

⁵ Actual mullion span and combination size availability depends on design pressure requirements. Consider combination size, weight, and jobsite handling during design.

⁶ 86" height is only available up to a 53.5" width with a cam-action lock and a 3/3 glass in an equal sash split.

⁷ 96" height is only available up to a 53.5" width in Contemporary sash split with 3/3 glass and a cam-action lock or AutoLock.

⁸ Only available in the West region.

⁹ Additional configurations available. Contact your local Pella expert for details.

¹⁰ Exterior is an applied color, not an extruded color.

¹¹ Appearance of exterior grille color may vary depending on the Low-E insulating glass selection.

¹² To achieve a Grade 40 rating on ASTM F842, a test for forced entry excluding glass breakage, the optional footbolt must be installed and engaged.

¹³ Availability may vary by size. Contact your local Pella expert for more information.

¹⁴ Available on dual-pane products only. Not available on sliding patio doors with grilles-between-the-glass.

NOTE: Product specifications may change without notice.

Actual colors may vary from those shown and products may vary slightly from illustrations and photos



IVORY BROWN

6006-1C

COLOR INFORMATION –

Family
Neutral

Undertone
Warm

Collection
[2023 Color Of The Year](#)

LRV ?
42.188

RGB ?
186, 172, 154

HEX ?
#baac9a

Add Chip To Cart

Order Paint Sample ↗

AVAILABLE AT LOWE'S

Get free store pickup and shipping at [Lowes.com](#)



WHITE

Shellstone pavers are a ground-face product that blends oyster shells and coquina with our standard paver formula. The pavers are then ground to expose the shells and aggregates inside, creating an exposed coquina-shell finish with an airy coastal appeal for borders, pool decks, lanais, walkways, porches and more.



SHELLSTONE 4x8



SHELLSTONE 8x8



SHELLSTONE 8x12



SHELLSTONE 12x12



SHELLSTONE 16x16

Product Code:	PV21040G
Dimensions:	4x8
Thickness:	2-3/8"
Cube Weight:	3120 lbs
Surface:	Ground Shell

Product Code:	PV21420G
Dimensions:	8x8
Thickness:	2-3/8"
Cube Weight:	2756 lbs
Surface:	Ground Shell

Product Code:	PV21430G
Dimensions:	8x12
Thickness:	2-3/8"
Cube Weight:	2680 lbs
Surface:	Ground Shell

Product Code:	PV21440G
Dimensions:	12x12
Thickness:	2-3/8"
Cube Weight:	3120 lbs
Surface:	Ground Shell

Product Code:	PV21450G
Dimensions:	16x16
Thickness:	2-3/8"
Cube Weight:	2780 lbs
Surface:	Ground Shell

Shellstone pavers are available in Square Edge or Chamfered Edge.


SHELLSTONE

EXPOSED COQUINA-SHELL FINISH


TREMRONTM
WE MAKE IT EASY




CORAL



GREY



SANDSTONE



WHITE

© 2021 The QUIKRETE Companies – Tremron 04/2021

TREMRON.COM

FOLLOW US 